

CRANE DETAILS
CRANE-RUNWAYS (1) ONLY 24m LENGTH RAIL C/C 8,1m
(2) ONLY 44,5m LENGTH RAIL C/C 8,1m
(3) ONLY 99m LENGTH RAIL C/C 8,1m
BRIDGE CRANE & HOIST; (6) ONLYS 8,1m SPANS 4000 lbs (1815 kg) CAPACITY
DISTANCE TOP CRANE RAIL TO FLOOR 7m
HOIST & BRIDGE TO BE AIR OPERATED
W/ PENDANT FLOOR OPERATED CONTROLS

- (A) OFFICES - 576,3 m²
- (B) CAFETERIA - 336 m²
- (C) LOCKER/WASHROOMS - 252 m²
- (D) MOSQUE - 252 m²
- (E) SHOW ROOM & DELIVERY ROOM - 384 m²
- (F) WATER TEST, ALIGNMENT & DETAIL (CANOPY ONLY) - 300 m²

DOORS : HIGH SPEED INDUSTRIAL ROLLER DOOR
WIDTH : 4,25 m + 4,88 m (*)
HEIGHT : 6 m

MINIMUM : 8 m BELOW TRUSSES
30 m SPAN

DOOR OPENINGS LOCATIONS TO BE DETERMINED LATER
- (A) OFFICES
- (B) CAFETERIA
- (C) LOCKER/WASHROOMS
- (D) MOSQUE

MINIMUM (4) MAIN DOORS

PRODUCTION ASSEMBLY LINE (COLORED FLOOR)

AISLES (COLORED CEMENT OR STRIPES)

CUSTOMER APPROVAL _____ ☐ AS IS ☐ WITH REVISIONS

CONFIDENTIAL NOTICE

THIS DRAWING AND DESIGNS, SPECIFICATIONS AND ENGINEERING INFORMATION DISCLOSED HEREON ARE THE PROPERTY OF NATIONAL EMERGENCY VEHICLES INTERNATIONAL AND ARE NOT OT BE DISSEMINATED OR REPRODUCED WITHOUT EXPRESS WRITTEN CONSENT. THE DRAWING IS LOANED IN CONFIDENCE AND THEN ONLY FOR CONSIDERATION OF THE MATTER DISCLOSED HEREON. IN ACCEPTING LOAN OF THIS DRAWING, RECIPIENT AGREES TO KEEP IT AND THE MATTER DISCLOSED HEREON IN CONFIDENCE AND NOT TO USE NOR PERMIT THEIR USE IN ANY WAY DETRIMENTAL TO NATIONAL EMERGENCY VEHICLES INTERNATIONAL, ORLANDO, FL.

ENGRG	PV	06/03/04
ENGRG	PV	07/02/04
REVSD	PV	07/12/04

DESCRIPTION

NATIONAL EMERGENCY VEHICLES INTERNATIONAL

PROPOSED SAUDI PROPERTY AND BUILDING

SIZE	DWG NO	REV
	NEVI204001-006	C

PLOT SCALE	SCALE	SHEET
NTS	NTS	6 OF 6